Jan. 14/94

Larry J. Popp
59 Collingdon Dr.
Brantford, Ont. Canada
N3S 3C9

Dear Mrs. Weisberg:

I am saddened and concerned for Mr. Weisbergs state of health. I respect the fact he will be unable to correspond with me. I appreciate your reply in letting me know the circumstances and in giving me Dr. Cyril Wechts address. I had watched a documentary on television and there was a Dr. Charles Crenshaw on it. Apparently he was interning on the day President Kennedy was brought in. I wrote him and he replied with hand drawn pictures of the Presidents head wounds. I am enclosing them for they may be of interest to Mr. Weisberg, I hope. Dr. Crenshaws drawings of which I traced leave no doubt of the directions of some of the shots fired. His drawings are backed up by Dr. Mc Celland of whom Dr. Crenshaw assisted at the time. I will trouble you no further, take care Mrs. Weisberg and please tell Mr. Weisberg he will be in my thoughts and I wish him only the best.

THANK YOU

Yours Sincerely
Larry J. Popp

DR. CHARLES A CRENSHAW M.D. F.A.C.S
DIRECTOR, DEPARTMENT OF SURGERY
JOHN PETER SMITH HOSPITAL OR
CHARLES A CRENSHAW, M.D. 215 N. RIVERCREST DR.
FORT WORTH, TEXAS 76107

Mr. Weisberg all writing or printing on these drawings are Dr. Crenshaws own words.
ALL DRAWINGS ARE FAITHFULL TRACINGS OF THOSE I RECIEVED.



SIDE VIEW - RIGHT REAR OF HEAD

LARGE AVULSED AREA WITH LOSS OF SOME PARIETAL AND MOST OF OCCIPITAL AREA OF LESION



EXIT WOUND - RIGHT REAR OF HEAD - (OCCIPITAL-PARIETAL AREA)

$2\frac{3}{4}$ INCHES TO $2\frac{1}{2}$ INCHES (SIZE OF BASEBALL) AND SIZE OF MY FIST - MORE OR LESS CIRCULAR - BONE AND HAIR GONE - CEREBELLUM EXPOSED.



ENTRANCE WOUND TO THROAT

ANTERIOR LOWER THIRD OF THE NECK (TRACHEAL RING 2)-
SPHERICAL IN SHAPE WITH SHARP, SMOOTH MARGINS.
(4-6 mm IN SIZE, LESS THAN ¼ INCH)



ENTRANCE WOUND TO THROAT - (POST TRACHEOSTOMY)

POST TRACHEOSTOMY - BY DR. PERRY THROUGH THE ENTRANCE WOUND. INCISION WAS SHARP, SMOOTH, APPROXIMATELY 1 TO 1 3/4 INCHES. (INCISION EDGES WERE TOGETHER.)